# NEROHUM L

Nerohum L is an organic liquid fertilizer with high concentration of humic acids from leonardite. It improves cation-exchange capacity in the soil and increases the availability of nutrient elements for plants.

| Composition | Weight / Volume |
|---|---|
| Total humic extracts | 15% |
| Fulvic acids | 3.50% |
| Potassium oxide ($K_2O$) soluble in water | 3.50% |

| CROPS | APPLICATION RATES<br>FERTIGATION | STAGES<br>AND RECOMMENDATIONS |
|---|---|---|
| FRUIT TREES AND GRAPES | 20 - 40 l/ha | At vegetative start; pre-flowering; fruit enlargement |
| HORTICULTURE * | 1.5- 3 l/1000 m2 | After transplantation; vegetative growth |
| INDUSTRIAL CROPS | 20 - 40 l/ha | 2 - 3 Applications during vegetative growth every 15 day |
| *ORNAMENTALS AND NURSERIES | 1 - 1.5 l/1000 m2 | 2 - 3 applications during vegetative growth every 15 days |
| FLOWERS * | 1 - 1.5 l/1000 m2 | After transplantation, applications every 10 - 15 days |
| PALM TREES | 20 l/ha | During the vegetative growth stage, spathe emergence stage, and fruit Enlargement stage |
| In fertigation apply the product at the concentration of 2 - 3% | | |
| *Doses referred to the entire crop cycle, they may be split in several applications | | |

**COMPATIBILITY**: Nerohum L is compatible with most agrochemicals commonly used in agriculture, with the exception of alkaline and mineral oils.
**STORAGE**: store in a dry and cool (T 0°C / 40°C) warehouse. Nonflammable product. In case of fire use abundant water and do not let it leak.
**CAUTIONS**: Keep closed and far from children, pets, foods and fodders. In case of contact with eyes, rinse immediately with plenty of water.
The Company guarantees composition, formulation and content. The user is liable for damages (lack of efficacy, mix precipitation, etc.) caused by partial or total inobservance of instructions.

L0771A

GREEN HAS ITALIA GROUP

REGISTRATION NO.: 12815

GREENHAS GROUP

20Kg NET WEIGHT

# NEROHUM L

نيروهم سائل عبارة عن سماد عضوي سائل يحتوي على تركيز عالي من أحماض الهيوميك سريعة الفاعلية المشتقة من ليوناريديت. أحماض الهيوميك الموجودة في التربة تزيد من السعة التبادلية للكاتيونات في التربة وبذلك يزيد توفر العديد من العناصر للنبات

| التركيب | وزن/ حجم |
|---|---|
| مستخلص الهيوميك الكلي | 15% |
| أحماض الفولفيك | 3.50% |
| أكسيد البوتاسيوم ($K_2O$) ذائب في الماء | 3.50% |

| المحصول | معدلات الإستخدام | فترات وتوصيات الإستخدام |
|---|---|---|
| | التسميد الأرضي | |
| أشجار الفاكهة والعنب | 20- 40 لتر/ هكتار | عند بداية النمو الخضري، قبل الإزهار، استطالة الثمار |
| * الخضراوات | 2-4 لتر / 1000 م2 | بعد زراعة الأشتال، النمو الخضري |
| المحاصيل الصناعية | 20- 40 لتر/ هكتار | 3-2 اضافات خلال فنرة النمو الخضري كل 15 يوم |
| *نباتات الزينة والمشاتل | 1-1.5 لتر / 1000 م2 | خلال فترة النمو الخضري كل 15- 10 يوم |
| الأزهار* | 1-1.5 لتر / 1000 م2 | بعد زراعة الأشتال، تضاف كل 15- 10 يوم |
| النخيل | 20 لتر/ هكتار | خلال مرحلة النمو الخضري وخروج العذوق ومرحلة استطالة الثمار |
| التسميد الأرضي: توزيع المنتج بتركيز 3- 2 ‰ | | |
| * التراكيز تشير الى كامل دورة حياة المحصول، ومن الممكن تقسيمها على عدة إضافات | | |

**قابلية الخلط**: نيروهم سائل قابل للخلط مع معظم المبيدات المستخدمة في الزراعة بشكل عام، باستثناء المركبات القلوية والزيوت المعدنية.

**التخزين**: يحفظ في مكان جاف وبارد على درجة حرارة ( 40- 0 درجة مئوية). المنتج غير قابل للاشتعال في حالة الحريق استخدم كمية وافرة من المياه، ولا تدعه يتسرب.

**تنبيهات**: يحفظ مغلقاً بعيداً عن متناول الاطفال، الحيوانات الاليفة، الطعام والاعلاف. في حال ملامسته للعينين، اغسلها بكمية وافرة من الماء الشركة تضمن التركيب والمحتوى الداخلي للمركب والمستخدم مسؤول عن أي أضرار (قلة الكفاءة، والترسب من خلط المحاليل والمركبات) تتسبب بشكل جزئي أو كامل عن عدم اتباع التعليمات.

L0772A

GREEN HAS ITALIA GROUP

REGISTRATION NO.: 12815

GREENHAS GROUP

20Kg الوزن الصافي